AL-FEDAA COMPANY FOR VETERINARY MEDICINES
& AGRICULTURAL PESTICIDES

FEDACO

شركة الفداء للأدوية البيطرية والمبيدات الزراعية

Zenate

COMPOSITION: Bifenazate 48% w/v
Complementary materials up to 100% (w/v)

INDICATIONS:

Crop	Pest	Application Rate ml 20 liter	Pre-Harvest Interval (PHI)	Remark	Number of applications/years	Interval between applications
Apples; Pears;	Two-spotted spider mite, European red mite, brown mite	Diluted spray at a rate of 13 ml per 20 L of water	7 days	Apply to areas where insects are active immediately upon detection	1	—
Apricots; Nectarines; Peaches; Plums	Two-spotted spider mite, European red mite, and brown mite		3 days	—	1	—
Almonds	Two-spotted spider mite, almond mite (Tetranychus spp.)		14 days	—	1	—
Fruiting vegetables including: tomato, pepper, chili pepper, and eggplant (excluding sweet corn and mushrooms).	Two-spotted spider mite, almond mite (Tetranychus spp.)		3 days	—	1	—
Cucurbits (except cucumber)	Two-spotted spider mite, almond mite (Tetranychus spp.)		3 days	—	2	21 days
Cucumber	Two-spotted spider mite, almond mite (Tetranychus spp.)		3 days	—	1	—
Strawberry	Two-spotted spider mite, European red mite, and almond mite (Tetranychus spp.)		3 days	—	2	21 days

Properties: An insecticide and acaricide used to control the two-spotted spider mite and the almond mite on pome fruits, stone fruits, almonds, fruiting vegetables, cucurbits, and strawberries, as specified in the application table.

Re-entry interval (for treated fields): Stability of the spray solution: The solution remains stable at a pH range of 4–9 for 24 hours at a temperature of 25°C.

Product image



Toxic agricultural pesticide

Group	20D	INSECTICIDE

Antidote

No specific antidote is available; treatment is symptomatic and supportive.

STORAGE

Keep the pesticide out of reach of children and away from food and beverages.
Store the pesticide in its original, tightly sealed container in a well-ventilated area at room temperature, away from direct sunlight.
Do not store the pesticide for prolonged periods under direct sunlight.
Triple-rinse the containers before disposal and return the rinsate to the spray tank.

Packaging

100/250/500/1000 ml

ISO CERTIFIED : ISO 45001__ ISO 14001__ ISO 9001

صنع في الأردن
Made in Jordan

زينيت

المكونات: بايفينازيت ٤٨٪ و/ح
مواد مكملة حتى ١٠٠٪ (و/ح)

طريقة الإستعمال:

المحصول		معدل الاستعمال: مل/20 لتر ماء		ملاحظات	عدد مرات الرش بالموسم	المدة بين الرش والأخرى
تفاح وإجاص	الحلم الأحمر ذو البقعتين، العنكبوت الأحمر الأوروبي، العنكبوت البني.	الرش المخفف 13 مل / 20 لتر	7 أيام	يطبق على مكان سير الحشرات فور ملاحظتها	1	___
المشمش والنكتارين والخوخ والبرقوق	الحلم الأحمر ذو البقعتين. العنكبوت الأحمر الأوروبي، العنكبوت البني.		3 أيام	___	1	___
اللوز	الحلم الأحمر ذو البقعتين، حلم اللوز		14 يوم	___	1	___
الخضروات المثمرة بما في ذلك: الطماطم، الفلفل، الفليفلة، الباذنجان (باستثناء الذرة الحلوة والقطر)	الحلم الأحمر ذو البقعتين، حلم اللوز		3 أيام	___	1	___
القرعيات (باستثناء الخيار)	الحلم الأحمر ذو البقعتين، حلم اللوز		3 أيام	___	2	21 يوم
الخيار	الحلم الأحمر ذو البقعتين، حلم اللوز		3 أيام	___	1	___
الفراولة	الحلم الأحمر ذو البقعتين، الحلم الأحمر الأوروبي، حلم اللوز		3 أيام	___	2	21 يوم

الخواص : مبيد حشري وحلم يستعمل للسيطرة على الحلم ذو النقطتين وحلم اللوز في الفاكهة التفاحية والفاكهة الحجرية واللوز والخضروات المثمرة والقرعيات والفراولة كما هو موضح في جدول الاستخدام

فترة تحريم دخول الحقل المرشوش: ثباتية محلول الرش: المحلول ثابت في درجة حموضة من pH ٤-٩ لمدة ٢٤ ساعة على حرارة ٢٥ درجة مئوية

صورة المنتج



مبيد زراعي سام

INSECTICIDE	20D	Group

الجرعة المضادة

لا توجد وتتم المعالجة حسب الأعراض

التخزين

- يحفظ المبيد بعيداً عن متناول الأطفال والطعام والشراب
- يحفظ المبيد في عبوته الأصلية محكمة الإغلاق في مكان جيد التهوية، بدرجة حرارة الغرفة بعيداً عن أشعة الشمس المباشرة.
- لا تخزن لفترات طويلة تحت أشعة الشمس المباشرة.
- يجب غسل العبوات ثلاث مرات قبل التخلص منها، وإعادة المحلول الى تنك الرش.

التعبئة

١٠٠٠/٥٠٠/٢٥٠/١٠٠ مل

ISO CERTIFIED : ISO 45001__ ISO 14001__ ISO 9001

صنع في الأردن
Made in Jordan