# ISOKAR

**COMPOSITION:** Azoxystrobin 20 % w/v
Difenoconazole 12.5 % w/v
Other ingredient up to 100 % w/v

**INDICATIONS:**

| Crop | Pest | Application rate / 20 liter of water | Pre-Harvest Interval (PHI) |
|---|---|---|---|
| Broccoli, Cauliflower, Cabbage | Anthracnose, Leaf Spot, Powdery Mildew | 20 ml | 21 days |
| Carrot | Leaf Blight, Leaf Spot, Powdery Mildew | 20 ml | 14 days |
| Strawberry (under greenhouse conditions) | Leaf Spot, Powdery Mildew | 20 ml | 7 days |

**Properties:** A systemic fungicide with both preventive and curative activity, effective against a broad spectrum of fungal diseases affecting various agricultural crops. It consists of a combination of two active ingredients from different chemical groups, providing enhanced efficacy and synergistic action in fungal disease control.

**Re-entry interval (for treated fields):** Entry into treated areas is prohibited for 24 hours after application.

**Product image**




**Toxic agricultural pesticide**

| GROUP | 3 | 11 | fungicide |
|---|---|---|---|

**Antidote**

No specific antidote is available; treat the affected individual symptomatically according to the clinical signs and symptoms presented.

**STORAGE**

Store the pesticide tightly sealed in its original container in a dry, well-ventilated area, away from direct sunlight and food and feed storage areas.

**Packaging**

100/250/500/1000 ml

ISO CERTIFIED : ISO 45001__ ISO 14001__ ISO 9001

صنع في الأردن
Made in Jordan

# آيزوكار

**المكونات:** ازوكسيستروبين ٢٠٪ (و/ح)
دايفينوكونازول ١٢,٥٪ (و/ح)
مواد مكملة حتى ١٠٠٪ و/ح

**طريقة الإستعمال:**

| المحصول | المرض | معدل الاستعمال مل/ 20 لتر | فترة الأمان |
|---|---|---|---|
| البروكلي، الزهرة، الملفوف | الأنتراكنوز، تبقع الأوراق، البياض الدقيقي | 20 | 21 يوم |
| الجزر | لفحة الأوراق، تبقع الأوراق، البياض الدقيقي | 20 | 14 يوم |
| الفراولة (في البيوت البلاستيكية) | تبقع الأوراق، البياض الدقيقي | 20 | 7 |

**الخواص :** مبيد فطري جهازي، ذو تأثير وقائي وعلاجي للقضاء على طيف واسع من الأمراض الفطرية التي تصيب عدد من المحاصيل الزراعية، مبيد يتكون من خليط مادتين فعالتين من مجموعتين مختلفتين ليعطي فعالية عالية وقوة مضاعفة في مكافحة الفطريات.

**فترة تحريم دخول الحقل المرشوش: ثباتية محلول الرش:** لا يسمح بدخول المناطق المعالجة خلال ٢٤ ساعة.

## صورة المنتج




**مبيد زراعي سام**

| GROUP | 3 | 11 | fungicide |
|---|---|---|---|

## الجرعة المضادة

لا يوجد جرعة مضادة، يعالج المصاب حسب الأعراض الظاهرة.

## التخزين

يحفظ المبيد محكم الاغلاق في عبواته الاصلية في مكان جاف وجيد التهوية، بعيداً عن اشعة الشمس المباشرة، بعيداً عن مكان حفظ الاطعمة والاعلاف.

## التعبئة

١٠٠٠/٥٠٠/٢٥٠/١٠٠ مل

ISO CERTIFIED : ISO 45001__ ISO 14001__ ISO 9001

صنع في الأردن
Made in Jordan